



Model: _____

Item #: _____ Quantity: _____

Project: _____



(18-W66R-7 shown)

1800 or 2100 Series Available
(see reverse)

Accessories

- Standard Single Tier Keyhole Speedrail (available sizes: 24", 30", 36", and 48")
- Standard Double Tier Keyhole Speedrail (available sizes: 24", 30", and 36")
- Upgrade to Eight Circuit Cold Plate
- Stainless Steel Divider (specify Ice Bin model)
- Perforated Bottom (units w/o Cold Plates)
- Stainless steel Sliding Cover (specify Ice Bin model and if bottle holders are being used)
- Condiment Tray
- Perforated Dump Box (for Dump Sink)
- Stainless Steel Leg Upgrade
- Towel Ring
- Side Splash
- Royal Faucet (upgrade)
- Bottle Wells


- **Drainboard:**
20 gauge stainless steel.
- **Dump Sink:**
20 gauge stainless steel 10" x 14" x 6" deep with 1 1/2" drain located in center.
- **Blender Shelf:**
22 gauge stainless steel.
- **Interior (Ice Bin):**
20 gauge stainless steel.
- **Cold Plate (Ice Bin):**
Cast aluminum post mix plate with seven circuits. Plate is sealed into bottom. Each circuit is 5/16" OD stainless steel tubing. Two full with remainder to be half circuits. Bump and swedge fittings on ends.
- **Front Apron:**
22 gauge stainless steel clad over 20 gauge galvanized.
- **Backsplash:**
22 gauge stainless steel.
- **Sides:**
20 gauge stainless steel.
- **Back and Bottom:**
20 gauge galvanized.
- **Legs:**
1 5/8" tubular 16 gauge galvanized steel with grey plastic bullet foot.
- **Electrical (blender):**
Duplex outlet located underneath Blender Shelf.
- **Faucet:**
4" center wall or deck mount with 6" Spout.
- **Plumbing:**
1/2" IPS hot and cold water
1" IPS drain connection w/o cold plate
1/2" IPS drain connection w/ cold plate.
1" IPS drain connection (drainboard).
1 1/2" IPS drain connection (dump sink).

Approved By: _____




Model: _____ Item #: _____ Quantity: _____ Project: _____

1800 Series



Model Numbers	Overall Length (A)	Ice Bin Length & Depth (B)	Drainboard Length (C)	Blender/Dump Length (D)	Ice Bin Location	Blender Location	Cold Plate Circuits	Weight lbs
18-W42L	3'-6"	24"/12"	n/a	18"	left	right	n/a	100
18-W42R	3'-6"	24"/12"	n/a	18"	right	left	n/a	100
18-W48L	4'-0"	30"/12"	n/a	18"	left	right	n/a	110
18-W48R	4'-0"	30"/12"	n/a	18"	right	left	n/a	110
18-W54L	4'-6"	36"/12"	n/a	18"	left	right	n/a	115
18-W54R	4'-6"	36"/12"	n/a	18"	right	left	n/a	115
18-W42L-7	3'-6"	24"/12"	n/a	18"	left	right	7	150
18-W42R-7	3'-6"	24"/12"	n/a	18"	right	left	7	150
18-W48L-7	4'-0"	30"/12"	n/a	18"	left	right	7	160
18-W48R-7	4'-0"	30"/12"	n/a	18"	right	left	7	160
18-W54L-7	4'-6"	36"/12"	n/a	18"	left	right	7	170
18-W54R-7	4'-6"	36"/12"	n/a	18"	right	left	7	170
18-W66L	5'-6"	24"/12"	24"	18"	center	left	n/a	150
18-W66R	5'-6"	24"/12"	24"	18"	center	right	n/a	150
18-W66L-7	5'-6"	24"/12"	24"	18"	center	left	7	230
18-W66R-7	5'-6"	24"/12"	24"	18"	center	right	7	230
18-D48L	4'-0"	24"/12"	24"	n/a	left	n/a	n/a	75
18-D48R	4'-0"	24"/12"	24"	n/a	right	n/a	n/a	75
18-D48L-7	4'-0"	24"/12"	24"	n/a	left	n/a	7	100
18-D48R-7	4'-0"	24"/12"	24"	n/a	right	n/a	7	100

2100 Series



Model Numbers	Overall Length (A)	Ice Bin Length & Depth (B)	Drainboard Length (C)	Blender/Dump Length (D)	Ice Bin Location	Blender Location	Cold Plate Circuits	Weight lbs
21-W42L	3'-6"	24"/12"	n/a	18"	left	right	n/a	105
21-W42R	3'-6"	24"/12"	n/a	18"	right	left	n/a	105
21-W48L	4'-0"	30"/12"	n/a	18"	left	right	n/a	115
21-W48R	4'-0"	30"/12"	n/a	18"	right	left	n/a	115
21-W54L	4'-6"	36"/12"	n/a	18"	left	right	n/a	120
21-W54R	4'-6"	36"/12"	n/a	18"	right	left	n/a	120
21-W42L-7	3'-6"	24"/12"	n/a	18"	left	right	7	170
21-W42R-7	3'-6"	24"/12"	n/a	18"	right	left	7	170
21-W48L-7	4'-0"	30"/12"	n/a	18"	left	right	7	180
21-W48R-7	4'-0"	30"/12"	n/a	18"	right	left	7	180
21-W54L-7	4'-6"	36"/12"	n/a	18"	left	right	7	195
21-W54R-7	4'-6"	36"/12"	n/a	18"	right	left	7	195
21-W66L	5'-6"	24"/12"	24"	18"	center	left	n/a	170
21-W66R	5'-6"	24"/12"	24"	18"	center	right	n/a	170
21-W66L-7	5'-6"	24"/12"	24"	18"	center	left	7	230
21-W66R-7	5'-6"	24"/12"	24"	18"	center	right	7	230
21-D48L	4'-0"	24"/12"	24"	n/a	left	n/a	n/a	80
21-D48R	4'-0"	24"/12"	24"	n/a	right	n/a	n/a	80
21-D48L-7	4'-0"	24"/12"	24"	n/a	left	n/a	7	110
21-D48R-7	4'-0"	24"/12"	24"	n/a	right	n/a	7	110

Mechanical Requirements:

- 1/2" IPS hot and cold water
- 1/2" IPS drain connection (Cold Plate)
- 1" IPS drain connection
- 1 1/2" IPS drain connection (Dump Sink)

Approved By: _____

Due to our commitment to continued product improvement, specifications are subject to change without notice.